

miREIA miRNA Enzyme Immunoassay

microRNAs for Diagnostics in Colorectal cancer



Colorectal cancer (CRC) is the third most prevalent cancer in the world. The screening and diagnosis of CRC currently relies heavily on invasive endoscopic techniques as well as imaging and antigen detection tools. More accessible and reliable biomarkers are necessary for early detection and prediction of CRC in order to expedite treatment and improve patient outcomes.

Many studies have indicated, that circulating miRNAs are characterized by high sensitivity and specificity to CRC and, moreover, they are very stable in body fluids. Therefore we believe that miRNAs are very promising non-invasive biomarkers and new discoveries in their detection and quantification will facilitate their translation to clinical practice.











Circulating microRNAs associated with the diagnosis of CRC

Colorectal cancer						
miRNA	Direction of alteration	Value of biomarker	Sample	References		
let-7a-5p	Decreased	Diagnostic	Plasma	1		
let-7f-5p	Decreased	Diagnostic	Plasma	1		
miR-7	Increased	Diagnostic	Plasma	2		
miR-9b	Decreased	Diagnostic	Serum	3		
miR-17-3p	Incerased	Diagnostic/ Prognostic	Serum	4		
miR-17-3p	No difference		Serum	5		
miR-19a-3p	Increased	Diagnostic	Serum	6		
miR-20a	Incerased	Diagnostic	Plasma	7		
miR-21-5p	Increased	Diagnostic	Serum/whole blood/serum	6, 8, 9		
miR-23a-3p	Incerased	Diagnostic/ Prognostic	Serum	10		
miR-24	Decreased	Diagnostic	Plasma	11		
miR-26a-5p	Decreased	Diagnostic	Plasma	12		
miR-27a-3p	Incerased	Diagnostic	Serum	10		
miR-29a	Incerased	Diagnostic	Serum/plasma/ serum	9, 13, 14		
miR-29a	No difference		Serum/plasma	5, 7		
miR-29b	Decreased	Diagnostic	Plasma	15		
miR-31	Incerased	Prognostic	Plasma	13		
miR-93	Increased	Diagnostic	Plasma	2		
miR-92a	Incerased	Diagnostic	Serum/plasma/ serum/plasma	9, 16, 17, 18		
miR-92a	No difference		Serum/plasma	5, 7		
miR-96	Incerased	Diagnostic/ Prognostic	Plasma	19		
miR-96-5p	Decreased	Diagnostic	Plasma	20		
miR-106a	Incerased	Diagnostic/ Prognostic	Serum/plasma	4, 7		
miR-139-5p	Incerased	Prognostic	Serum	21		
miR-139-5p	Decreased	Diagnostic	Serum	22		
miR-141	Incerased	Diagnostic	Plasma	19		



Colorectal cancer						
miRNA	Direction of alteration	Value of biomarker	Sample	References		
miR-142-5p	Incerased	Diagnostic	Serum	10		
miR-142a-3p	Decreased	Diagnostic	Plasma	12		
miR-145	Decreased	Diagnostic/ Prognostic	Serum	4		
miR-149	Decreased	Diagnostic	Plasma	20		
miR-150	Decreased	Diagnostic	Whole blood	8		
miR-155	Incerased	Diagnostic/ prognostic	Serum	23		
miR-183	Incerased	Recurence/ Prognostic	Serum	24		
miR-194	Decreased	Diagnostic	Serum	3		
miR-196b	Incerased	Diagnostic	Serum	25		
miR-199a-3p	Incerased	Diagnostic	Serum	26		
miR-200b	Incerased	Prognostic	Plasma	13, 19		
miR-203	Incerased	Diagnostic/ Prognostic	Plasma/plasma/ serum	13, 19, 27		
miR-210	Incerased	Diagnostic	Serum	28		
miR-221	Incerased	Diagnostic	Whole blood	8		
miR-223	Incerased	Diagnostic	Plasma	18		
miR-320a	Decreased	Diagnostic	Plasma	11		
miR-375	Decreased	Diagnostic/ Prognostic	Serum	17		
miR-376c-3p	Incerased	Diagnostic/ Prognostic	Serum	10		
miR-409-3p	Increased	Diagnostic	Plasma	2		
miR-423-5p	Decreased	Diagnostic	Plasma	11		
miR-425-5p	Increased	Diagnostic	Serum	6		
miR-506	Incerased	Diagnostic	Plasma	29		
miR-622	Incerased	Diagnostic	Serum	22		
miR-760	Decreased	Diagnostic/ Prognostic	Serum	17		
miR-4316	Incerased	Diagnostic	Plasma	29		

REFERENCES

- 1. Ghanbari, Reza, et al. Simultaneous Underexpression of let-7a-5p and let-7f-5p microRNAs in Plasma and Stool Samples from Early Stage Colorectal Carcinoma: Supplementary Issue: Biomarkers for Colon Cancer. Biomarkers in cancer 7 (2015): BIC-S25252.
- 2. Wang, Shuyang, et al. A plasma microRNA panel for early detection of colorectal cancer. International journal of cancer 136.1 (2015): 152-161.
- 3. Basati, Gholam, et al. Circulating levels of the miRNAs, miR-194, and miR-29b, as clinically useful biomarkers for colorectal cancer. Tumor biology 37.2 (2016): 1781-1788.
- 4. Li, Jialu, et al. Serum miRNA expression profile as a prognostic biomarker of stage II/III colorectal adenocarcinoma. Scientific reports 5 (2015): 12921.
- 5. Faltejskova, Petra, et al. Circulating miR-17-3p, miR-29a, miR-92a and miR-135b in serum: evidence against their usage as biomarkers in colorectal cancer. Cancer Biomarkers 12.4-5 (2013): 199-204.
- 6. Zhu, Mingxia, et al. A panel of microRNA signature in serum for colorectal cancer diagnosis. Oncotarget 8.10 (2017): 17081.
- 7. Chen, Wang-Yang, et al. The potential of plasma miRNAs for diagnosis and risk estimation of colorectal cancer. International journal of clinical and experimental pathology 8.6 (2015): 7092.
- 8. Sarlinova, Miroslava, et al. miR-21, miR-221 and miR-150 are deregulated in peripheral blood of patients with colorectal cancer. Anticancer research 36.10 (2016): 5449-5454.
- 9. Uratani, Ryo, et al. Diagnostic potential of cell-free and exosomal microRNAs in the identification of patients with high-risk colorectal adenomas. PloS one 11.10 (2016): e0160722.
- 10. Vychytilova-Faltejskova, Petra, et al. Serum-based microRNA signatures in early diagnosis and prognosis prediction of colon cancer. Carcinogenesis 37.10 (2016): 941-950.
- 11. Fang, Zanxi, et al. Plasma levels of microRNA-24, microRNA-320a, and microRNA-423-5p are potential biomarkers for colorectal carcinoma. Journal of experimental & clinical cancer research 34.1 (2015): 86.
- 12. Ghanbari, Reza, et al. Downregulation of plasma MiR-142-3p and MiR-26a-5p in patients with colorectal carcinoma. Iranian journal of cancer prevention 8.3 (2015).
- 13. Yuan, Zixu, et al. Dynamic plasma microRNAs are biomarkers for prognosis and early detection of recurrence in colorectal cancer. British journal of cancer 117.8 (2017): 1202.
- 14. Zhi, M. L., et al. Diagnostic performance of microRNA-29a for colorectal cancer: a meta-analysis. Genet Mol Res 14.4 (2015): 18018-25.
- 15. Li, Leping, et al. The diagnostic efficacy and biological effects of microRNA-29b for colon cancer. Technology in cancer research & treatment 15.6 (2016): 772-779.
- 16. Yang, Xin, et al. MicroRNA-92a as a potential biomarker in diagnosis of colorectal cancer: a systematic review and meta-analysis. PLoS One 9.2 (2014): e88745.
- 17. Elshafei, Ahmed, et al. The expression profiling of serum miR-92a, miR-375, and miR-760 in colorectal cancer: an Egyptian study. Tumor Biology 39.6 (2017): 1010428317705765.
- 18. Chang, Pi-Yueh, et al. MicroRNA-223 and microRNA-92a in stool and plasma samples act as complementary biomarkers to increase colorectal cancer detection. Oncotarget 7.9 (2016): 10663.
- 19. Sun, Yan, et al. Examining plasma microRNA markers for colorectal cancer at different stages. Oncotarget 7.10 (2016): 11434.
- 20. Li, Jian, et al. GPC1 exosome and its regulatory miRNAs are specific markers for the detection and target therapy of colorectal cancer. Journal of cellular and molecular medicine 21.5 (2017): 838-847.
- 21. Miyoshi, Jinsei, et al. MiR-139-5p as a novel serum biomarker for recurrence and metastasis in colorectal cancer. Scientific Reports 7 (2017): 43393.
- 22. Ng, Lui, et al. Identification of serum miR-139-3p as a non-invasive biomarker for colorectal cancer. Oncotarget 8.16 (2017): 27393.
- 23. Lv, Zhong-chuan, et al. Investigation of microRNA-155 as a serum diagnostic and prognostic biomarker for colorectal cancer. Tumor Biology 36.3 (2015): 1619-1625.
- 24. Yuan, Dawei, et al. Plasma miR-183 predicts recurrence and prognosis in patients with colorectal cancer. Cancer biology & therapy 16.2 (2015): 268-275.
- 25. Xu, Chunjie, and Lei Gu. The diagnostic effect of serum miR-196b as biomarker in colorectal cancer. Biomedical reports 6.1 (2017): 39-45.
- 26. Nonaka, Ryoji, et al. Circulating miR-199a-3p as a novel serum biomarker for colorectal cancer. Oncology reports 32.6 (2014): 2354-2358.
- 27. Hur, Keun, et al. Circulating microRNA-203 predicts prognosis and metastasis in human colorectal cancer. Gut (2015): gutjnl-2014.
- 28. Wang, W., et al. Circulating miR-210 as a diagnostic and prognostic biomarker for colorectal cancer. European journal of cancer care 26.4 (2017).
- 29. Krawczyk, Paweł, et al. Evaluation of miR-506 and miR-4316 expression in early and non-invasive diagnosis of colorectal cancer. International journal of colorectal disease 32.7 (2017): 1057-1060.

Contact Information



BioVendor - Laboratorni medicina a.s.

Karasek 1767/1, 621 00 Brno, Czech Republic Phone: +420 549 124 185, Fax: +420 549 211 460 E-mail: info@biovendor.com

BioVendor GmbH

Otto-Hahn-Straße 16, 34123 Kassel, Germany Phone: +49 (0)561 861 509 33, Fax: +49 (0)561 861 509 34 E-mail: infoEU@biovendor.com



BioVendor GesmbH

Gaudenzdorfer Gürtel 43-45, 1120 Vienna, Austria Phone: +43 1 890 9025, Fax: +43 1 890 5163 E-mail: infoAustria@biovendor.com

BioVendor, LLC

128 Bingham Rd., Suite 1300, Asheville, NC 28806, USA Phone: +1-800-404-7807, Phone: +1-828-575-9250 Fax: +1-828-575-9251, E-mail: infoUSA@biovendor.com



Date of issue April 2018

Oxford Biosystems Ltd

184B Park House, Park Drive Milton Park, Abingdon, Oxfordshire OX14 4SR, United Kingdom Phone: +44 (0)1235 431390 E-mail: sales@oxfordbiosystems.com

> www.oxfordbiosystems.com